



**CHESSY KNOWLEDGE
QUOTIENT PVT LTD**

**User Guide – Enabling the ActiveX Control Settings
and
Scripting in IE Browser**

Table of Contents

1 DESCRIPTION.....	4
2 STEPS IN ENABLING THE ACTIVEX CONTROL IN IE BROWSER.....	5

NOTICE OF PROPRIETARY INFORMATION


ALL INFORMATION CONTAINED IN OR DISCLOSED IN THIS DOCUMENT, HEREINAFTER CALLED ‘CONFIDENTIAL INFORMATION’. BY ACCEPTING THIS MATERIAL, THE RECIPIENT AGREES THAT THIS CONFIDENTIAL INFORMATION WILL BE HELD IN CONFIDENCE, AND WILL NOT BE REPRODUCED, DISCLOSED OR USED EITHER IN WHOLE OR IN PART, WITHOUT PRIOR PERMISSION FROM CHESSY KNOWLEDGE QUOTIENT PVT LTD

1. DESCRIPTION


This document describes the procedure to enable the ActiveX Control settings and Scripting in internet Explorer browser. The procedure is depicted with the help of screen-shots.

2. STEPS IN ENABLING THE ACTIVEX CONTROL AND SCRIPTING IN IE BROWSER

1. Open your Internet Explorer Browser
2. Go to Tools>Internet Options>
3. Click on the Security Tab



4. Choose Internet and Click on “Custom Level”




5. Under the ActiveX controls and plug-ins section, wherever Disable is selected, make it to Prompt.



User Guide – Enabling the ActiveX Control Settings

6. Under the ActiveX controls and plug-ins section, wherever Disable is selected, make it to Prompt.



7. Click OK.




8. Click Yes to the Warning message

9. Click on the General tab



10. Click on the Delete Files



11. Check the box to Delete all offline contents



12. Click on Clear History



13. Click OK to clear the history



14. Click OK to close the dialogue



15. Close the Internet Explorer browser. Open a new session on Internet Explorer browser and proceed.